

REGULATORY APPROVALS
FOR KYNAR® AND KYNAR FLEX® RESINS

National Sanitation Foundation (NSF), NSF-61 (Potable Water)

- KYNAR® 450, 460, 461
- o KYNAR® 710, 711, 720, 721, 740, 741, 760,761, 761A
- o KYNAR® HSV 900
- o KYNAR® 1000 HD, 1000 HDL
- o KYNAR® 6000 HD
- o KYNAR® 9000 HD
- KYNAR FLEX ® 2750-01, 2750-10E, 2750-13, 2800-00, 2800-20, 2801-00, 2821-00, 2850-00, 2850-04, 2850-07, 3120-10, 3121-50
- o KYNAR SUPERFLEX ® 2500-20, 2500-20E, 2501-20

NSF-51 Food Equipment Materials

- o KYNAR 460, 461
- KYNAR 710/1, 720/1, 740/1, 760/1
- o KYNAR FLEX® 2800-00, 2800-20, 2750-01, 2850-00, 2500-20

Food & Drug Administration (FDA) for Repeated Contact with Food [177.2510]

- KYNAR® 460, 461
- o KYNAR® 710, 710HDP, 720, 720 HDP, 740, 740 HDP, 760, 1000 HD, 6000 HD, 9000 HD

FDA for Repeated Contact with Food [177.2600]

KYNAR FLEX® 2500, 2750, 2800, 2850, 2850 WR, 3120

<u>U.S. Department of Agriculture (USDA) for Use in Process or Storage Areas to Contact with Meat or Poultry Food Products</u>

o KYNAR® 460, 710, 720, 740, 760

3A Sanitary Standards for Multiple Use Plastic Materials used as Product Contact Surfaces for Dairy Equipment

o KYNAR® 710, 720, 740, 760, 1000 HD, 9000 HD, KYNAR FLEX® 2800-00

United States Pharmacopeia Classification VI (USP Class 6)

- KYNAR® 460, 710, 710 HDP, 720, 720 HDP, 740, 740 HDP, 760, 1000 HD, 6000 HD, 9000 HD
- KYNAR FLEX® 2500-20, 2750-01, 2800, 2850, 3120 and 3200 RG

FDA Single Use Adjuvant for use in Polyolefins to 1% Concentration [177.1520]

- KYNAR® 460/1, 720/1, 740/1, 760/1, 2800/1, 2850/1, 3120/1, 1000 HD, 6000 HD, 9000 HD
- o KYNAR FLEX® PPA 5300/5301

NSF-14 Plastics Piping Systems Components

o KYNAR® 740, 1000 HD, 6000 HD, 9000 HD

Kosher Certified by the Chicago Rabbinical Council

KYNAR® Homopolymer, KYNAR FLEX® Copolymer

KYNAR®, KYNAR FLEX®, KYNAR SUPERFLEX®, and KYNAR 500® are registered trademarks of Arkema Inc. April 2010

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Arkema Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement.

See MSDS for Health & Safety Considerations © 2005 Arkema Inc. All rights reserved.



Arkema Inc 2000 Market Street Philadelphia, PA 19103 215-419-7000 www.arkemagroup.com

www.kynar.com